

SURFACE CHALLENGE 5

FSW22500



Item no. FSW22500-0902

General Product Information

Dimensions LxWxH 101 x 712 x 105 cm

Age Group 13+

Capacity 9 adults

Colour Options 



One of the major problems for elderly people is falling. These accidents often happen because the elderly person is not able to overcome or react to minor changes in the surface. The surface challenge gives the opportunity to, under safe conditions, train to overcome typical obstacles found in nature and urban environments. Some of the challenges here

focuses on the important toe-lift. Either on small obstacles or bigger ones like the curb. Other challenges focus on ankle- and overall foot control. Finally, the different surfaces and materials stimulate sensory feedback which also enhances gait stability.




SURFACE CHALLENGE 5

FSW22500




The Robinia bars are made from de-barked and sap free Robinia trunks in various dimensions. Robinia is a native European wood species with high strength and natural durability in various climatic conditions. KOMPAN uses wood from FSC-certified sources.



The stone surface is made from polymer concrete (polyester concrete), which is a mixture of sand, gravel and dust mixed with polyester. The material is five times stronger and more waterproof than ordinary concrete, which gives it a very long lifespan and very low maintenance.



Handrail intended as grips during exercises are made of hot-dip galvanized steel Ø38 mm, a great diameter for a good grip and to support the wrist. The height of the handrail is 940mm from the top of the HPL plate. The distance between the rails is 900mm



All challenges are mounted on HPL plates of 1396x896x18mm. High-pressure laminate plates (HPL) have a molded-in non-skid surface and HPL is a homogenous material with a very high wear resistance.



The grass area is 1210x710mm. The grass is tufted, non-filled synthetic grass, which is glued to the HPL plate with Polyurethane adhesive (Henko H400 or H700). The HPL plate has draining holes to remove the water quickly.



The information sign is made of a PA6 (Polyamide) and shows the most relevant exercise and a QR code. When scanned the QR code will link to an animated illustration of the exercise and offers the possibility of downloading the KOMPAN sport & fitness App, which will provide a large amount of exercises and workouts.

Item no. FSW22500-0902

Installation Information

Max. fall height	20 cm
Safety surfacing area	383 m ²
Numbers of Installers (persons)	2
Total installation time	12
Excavation volume	0.34 m ³
Concrete volume	0.16 m ³
Footing Depth (Standard)	90 cm
Shipment Weight	643 kg
Anchoring options	In-ground ✓ Surface ✓

Warranty information

Galvanised Structural Parts	Lifetime
Post	10 Years
Floors (decks)	10 Years
Connectors	10 Years
Spare parts guaranteed	10 Years




SURFACE CHALLENGE 5


FSW22500

Max fall height | Total height | Safety surfacing area

Max fall height | Total height



FSW22500
*20cm
**105cm
***38,3m²
1:100



[Click to see 1:100 ratio TOP VIEW](#)

[Click to see 1:100 ratio SIDE VIEW](#)